



DOCKET NO: VSEA 07-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Gammel et al.
Serial No: 10/005,592
Confirmation No: 8123
Filed: October 26, 2001
For: ION IMPLANTATION SYSTEMS AND METHODS UTILIZING
A DOWNSTREAM GAS SOURCE
Examiner: Jack I. Berman
Art Unit: 2881

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 14th day of October, 2004.


Cheryl Purcell

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

Transmitted herewith are the following documents:

- ☒ Amendment
- ☒ Return Receipt Postcard

If any additional fees are determined to be required or if there are any overpayments, Deposit Account 50-0896 may be charged or credited. A duplicate of this sheet is enclosed.

Respectfully submitted,
George Gammel et al., Applicants

By: 
Mark A. Superko, Reg. No. 34,027
Varian Semiconductor Equipment
Associates, Inc.
35 Dory Rd.
Gloucester, Massachusetts 01930-2297
Telephone: (978) 282-5915

Docket No. VSEA 07-00



2881
JFW


DOCKET NO: VSEA 07-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: George Gammel et al.
Serial No: 10/005,592
Confirmation No: 8123
Filed: October 26, 2001
For: ION IMPLANTATION SYSTEMS AND METHODS UTILIZING
A DOWNSTREAM GAS SOURCE
Examiner: Jack I. Berman
Art Unit: 2881

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

The undersigned hereby certifies that this document is being placed in the United States mail with first-class postage attached, addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the 14 day of October, 2004.


Cheryl Purcell

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the Notice of Non-Compliant Amendment mailed September 21, 2004 for the Office Action mailed March 5, 2004, please amend the above-identified application as follows. It should be noted that the status identifier "Currently Amended" has been used throughout to be in compliance with the seven Status Identifiers noted in this Notice.